



Polycarbonate housing without metric knock-outs, Colour: Light grey, RAL: 7035, Cover: Polycarbonate, Transparent

RAL: 7035

Business data

Article number	31045.2
Article name	CG-PC 1608/55 OVT
GTIN (EAN)	4044211203375
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	220 g
Weight per piece (including packaging)	220 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Polycarbonate housing
Colour	Light grey

Technical data

Dimensions

Length	162 mm
Width	82 mm
Height	55 mm

Materials

Material	Polycarbonate
Lid material	Polycarbonate
Lid colour	Transparent
Lid screws	Stainless steel V2A
Flammability class UL 94	V-2
Flammability acc. EN 60695	960 ° C
Working temperature, min.	-35 °C
Working temperature, max.	80 °C
Sealing material	Polyurethane
Ambient temperature 24 hours	60 °C
Rel. humidity at 40 °C, max.	50 %
Short-term rel. humidity at 25 °C, max.	95 %
Halogen-free	✓
PVC-free	✓
No heavy metals	✓
Silicone-free	✓
Weather resistant	✓

Further technical data


Degree of protection	IP67
Protection class	II
Impact resistance	IK08
Rated insulation voltage AC	1000 V
Rated insulation voltage DC	690 V
Quick release	✓
Lid retainer	✓

Technical data

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



31045.2 CG-PC 1608/55 OVT

Accessories

Mounting plate



Mounting plate, Material: Hard laminated paper, Surface: Melamine laminated, Colour: Grey, RAL: 7035

Article number	Article name	GTIN (EAN)	Packaging unit
<u>31073.2</u>	MP/CG 1608	4044211203559	1 ST

DIN rail section TS 35/7.5

DIN rail, slotted, Width: 35 mm, Height: 7.5 mm, Material: Steel, Colour: natural



Article number	Article name	GTIN (EAN)	Packaging unit
<u>31084.0</u>	TS 35/144/CG mm lang	4044211216146	1 ST

Wall brackets



Wall brackets, Material: Polycarbonate, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>31079.2</u>	WL/CG	4044211203511	1 ST