

3161.0 BK 2,8 neutral

Labelling card, Colour: White

RAL: 9010

Business data

| | |
|--|----------------|
| Article number | <u>3161.0</u> |
| Article name | BK 2,8 neutral |
| GTIN (EAN) | 4044211101268 |
| Packaging unit | 10 |
| Quantity unit | PC |
| Number of strips per card | 14 ST |
| Number of characters per strip | 10 ST |
| Number of markers per labelling card | 140 ST |
| Weight per piece (not including packaging) | 0.6 g |
| Weight per piece (including packaging) | 0.74 g |
| Unit of weight | G |
| Customs number | 39199080 |
| Country of origin | EU |
| Product description | Labelling card |
| Colour | White |

Technical data

Dimensions

| | |
|--------|--------|
| Height | 2.8 mm |
|--------|--------|

Materials

| | |
|----------|-----------|
| Material | Polyester |
|----------|-----------|

| | |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

| | |
|---------------------------|--------|
| Working temperature, max. | 120 °C |
|---------------------------|--------|

Print

| | |
|------------------|-------|
| Marker labelling | Blank |
|------------------|-------|

| | |
|-------------------------------|-------------------------------|
| Wipe resistance when printing | DIN 30 646; VDE 0611: 1977-11 |
|-------------------------------|-------------------------------|

Environmental Product Compliance

| | |
|---------------|-----|
| REACH Conform | yes |
|---------------|-----|

| | |
|----------------------|------------|
| REACH Reference date | 2024-01-23 |
|----------------------|------------|

| | |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

| | |
|--------------|-----|
| RoHS Conform | yes |
|--------------|-----|

Media

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u> | BS-1 | 4044211048365 | 10 ST |
