

Data sheet

3164.0 SDB 0,4x2,0



Screwdriver with bare blade, Colour:

Business data

Article number	3164.0
Article name	SDB 0,4x2,0
GTIN (EAN)	4044211107246
Design	Slotted
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	20 g
Weight per piece (including packaging)	22 g
Unit of weight	G
Customs number	82054000
Country of origin	DE
Product description	Screwdriver

Data sheet

3164.0 SDB 0,4x2,0



Technical data

Dimensions

Length	150 mm
Blade length	75 mm
Blade width	2 mm
Blade thickness	0.4 mm


Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

##INVERSE##CONTA-CONNECT




Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27001.2	PSL 1,5/2A GNYE	4044211223687	50 ST




Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27003.2	PSL 1,5/3A GNYE	4044211223724	50 ST




Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27005.2	PSL 1,5/4A GNYE	4044211223762	50 ST




Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3253.2	FRKD 2,5/D2 BG	4044211131838	100 ST



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
3254.2	FRKD 2,5/D3 BG	4044211131845	100 ST



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
3255.2	FRKD 2,5/D4 BG	4044211131852	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3256.2</u>	FRKD 2,5/D5 BG	4044211131869	100 ST




Fuse-disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3268.2</u>	FTRK 2,5/3A/ZS BG	4044211138011	100



Fuse-disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3290.4</u>	FSIK 4/2A BK	4044211180287	25 ST




Fuse-disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3291.4</u>	FSIK 4/2A/LED 12-30V AC/DC BK	4044211188962	25 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3246.2</u>	FDLIS 2,5-4 L	4044211130800	50 ST



Disconnect-blade terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3259.2</u>	FTRK 2,5/2A/MT BG	4044211137748	100

##INVERSE##CONTA-CONNECT




Disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3262.2</u>	FTRK 2,5/3A/ST BG	4044211137823	100



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3289.2</u>	FDLI 2,5-4 MT/L	4044211181666	50 ST




Fuse-disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3292.4</u>	FSIK 4/2A/LED 30-60V AC/DC BK	4044211188979	25 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3283.2</u>	FDLI 2,5-4 NT/L/PE	4044211181604	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3289.2</u>	FDLI 2,5-4 MT/L	4044211181666	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3284.2</u>	FDLI 2,5-4 NT/L	4044211181611	50 ST

##INVERSE##CONTA-CONNECT



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3233.2</u>	FRKD 2,5/N/DU	4044211130121	100 ST



Disconnect terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3262.2</u>	FTRK 2,5/3A/ST BG	4044211137823	100



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3203.2</u>	FSL 1,5/2A GNYE	4044211110109	100 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3227.2</u>	FRKD 2,5/SV BG	4044211130060	100



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3286.2</u>	FDLI 2,5-4 L/L	4044211181635	50 ST



Double-level terminal with housing pegs, block variant, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3231.2</u>	FRKD 2,5-BL BG	4044211130107	50 ST

Data sheet

3164.0 SDB 0,4x2,0

##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3247.2</u>	FDLIS B 2,5-4 3NT/3L/3PE	4044211130817	16 ST




PE installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3279.2</u>	FSLI 2,5-4 GNYE	4044211139094	100 ST




Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3247.2</u>	FDLIS B 2,5-4 3NT/3L/3PE	4044211130817	16 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3226.2</u>	FRKD 2,5 BG	4044211130053	100



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3227.2</u>	FRKD 2,5/SV BG	4044211130060	100



Double-level terminal with housing pegs, block variant, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3231.2</u>	FRKD 2,5-BL BG	4044211130107	50 ST

##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3285.2</u>	FDLI 2,5-4 L/L/PE	4044211181628	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3209.2</u>	FRKD 2,5/3A/DU/PE	4044211207045	50 ST




Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3247.2</u>	FDLIS B 2,5-4 3NT/3L/3PE	4044211130817	16 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3228.2</u>	FRKD 2,5/Z BG	4044211130077	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3205.2</u>	FSL 1,5/4A GNYE	4044211110123	100 ST



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3206.2</u>	FRKD 2,5/3A BG	4044211206970	50

##INVERSE##CONTA-CONNECT




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3207.2</u>	FRKD 2,5/3A/SV BG	4044211207007	50




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3219.2</u>	FRKD 2,5/3A/SV MI BG	4044211209957	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3209.2</u>	FRKD 2,5/3A/DU/PE	4044211207045	50 ST



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3226.2</u>	FRKD 2,5 BG	4044211130053	100



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3228.2</u>	FRKD 2,5/Z BG	4044211130077	50 ST



Protective-earth double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Green-yellow


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3208.2</u>	FSLD 2,5/3A GNYE	4044211207038	50 ST

##INVERSE##CONTA-CONNECT




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3233.2</u>	FRKD 2,5/N/DU	4044211130121	100 ST



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3218.2</u>	FRKD 2,5/3A MI BG	4044211209940	50 ST



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3234.2</u>	FRKD 2,5/DU/PE	4044211130138	100 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3244.2</u>	FDLIS 2,5-4 L/L	4044211130787	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3205.2</u>	FSL 1,5/4A GNYE	4044211110123	100 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3205.2</u>	FSL 1,5/4A GNYE	4044211110123	100 ST

##INVERSE##CONTA-CONNECT




Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 10.2 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3250.2</u>	FDLIS B 2,5-4 3L/N/PE	4044211130848	25 ST




Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3283.2</u>	FDLI 2,5-4 NT/L/PE	4044211181604	50 ST




Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3285.2</u>	FDLI 2,5-4 L/L/PE	4044211181628	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3206.2</u>	FRKD 2,5/3A BG	4044211206970	50



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3207.2</u>	FRKD 2,5/3A/SV BG	4044211207007	50



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3209.2</u>	FRKD 2,5/3A/DU/PE	4044211207045	50 ST

##INVERSE##CONTA-CONNECT




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3219.2</u>	FRKD 2,5/3A/SV MI BG	4044211209957	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3226.2</u>	FRKD 2,5 BG	4044211130053	100




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3228.2</u>	FRKD 2,5/Z BG	4044211130077	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3229.2</u>	FRKD 2,5 SV/Z BG	4044211130084	50 ST



Double-level terminal with housing pegs, block variant, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3231.2</u>	FRKD 2,5-BL BG	4044211130107	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3233.2</u>	FRKD 2,5/N/DU	4044211130121	100 ST

Data sheet


3164.0 SDB 0,4x2,0

##INVERSE##CONTA-CONNECT




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3235.2</u>	FRKD 2,5/N/PE	4044211130145	100 ST




Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3203.2</u>	FSL 1,5/2A GNYE	4044211110109	100 ST



Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3218.2</u>	FRKD 2,5/3A MI BG	4044211209940	50 ST




Double-level terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3234.2</u>	FRKD 2,5/DU/PE	4044211130138	100 ST



PE installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Green-yellow


Article number	Article name	GTIN (EAN)	Packaging unit
<u>3279.2</u>	FSLI 2,5-4 GNYE	4044211139094	100 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3204.2</u>	FSL 1,5/3A GNYE	4044211110116	100 ST


##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
3205.2	FSL 1,5/4A GNYE	4044211110123	100 ST


##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3230.2	FRKD 2,5/D1 BG	4044211130091	100


##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3253.2	FRKD 2,5/D2 BG	4044211131838	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3238.2	FRKD 2,5/LED2(RD) 24V DC BG	4044211131883	100 ST