

Data sheet

3497.8 FQI 2,5-4/7 YE



Insulated cross-connector, No. of poles: 7, Mounting type: Plug in, Width: 35.6 mm, Colour: Yellow

RAL: 1026

Business data

Article number	3497.8
Article name	FQI 2,5-4/7 YE
GTIN (EAN)	4044211132224
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	6.76 g
Weight per piece (including packaging)	6.78 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Insulated cross-connector
Colour	Yellow

Data sheet

3497.8 FQI 2,5-4/7 YE



Technical data

Dimensions

Length	4 mm
Width	35.6 mm
Pitch size	5.1 mm

Ratings

Max. voltage	800 V
Rated current	24 A
Current load, max.	24 A
Rated cross-section	2.5 mm²

Connection data

No. of poles	7
--------------	---

Materials

Material	Copper
Surface	Tin-nickel
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

Further technical data

Mounting type	Plug in
Number of bridged terminals	7

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT

##INVERSE##CONTA-CONNECT