

Device and installation markers / Maxicard, Length: 6 mm, Width: 12 mm, Colour: White

RAL: 9010

3885.7 MC GS 6x12 R So WH

Business data

Article number	<u>3885.7</u>
Article name	MC GS 6x12 R So WH
GTIN (EAN)	4044211154554
For manufacturer type	CONTA-CLIP / Finder (nur ..R-Typ)
Packaging unit	600
Quantity unit	PC
Number of markers per card	120 ST
Number of markers per row	10 ST
Weight per piece (not including packaging)	0.15 g
Weight per piece (including packaging)	0.29 g
Unit of weight	G
Customs number	49119900
Country of origin	DE
Product description	Device and installation marker / Maxicard
Colour	White

Data sheet

3885.7 MC GS 6x12 R So WH



Technical data

Dimensions

Length	6 mm
Width	12 mm

Materials

Marker material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Halogen-free	✓

Print

Number of characters, horizontal	4
Rows when using font size 1.4 and plotter pen 0.25, horizontally aligned text	5
Number of characters, vertical	9
Rows when using font size 1.4 and plotter pen 0.25, vertically aligned text	3

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2034.0</u>	BS-1	4044211048365	10 ST

Inlays



Plotter inlay


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1606.0</u>	CCI-10	4044211103224	1 ST

##INVERSE##CONTA-ELECTRONICS




Connection adapter for Interface-Relay-Compact (IRC) with Push-In connection, connection doubler to 2x1.5mm²

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16354.2</u>	DCA/FIRC	4044211204655	10 ST



Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16190.2</u>	IRC 6-12-24V AC/DC	4044211187262	10 ST




Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16191.2</u>	IRC 110...125V AC/DC	4044211187279	10 ST

Data sheet

3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16210.2</u>	FIRC 6-12-24V AC/DC	4044211187453	10 ST



Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16211.2</u>	FIRC 110...125V AC/DC	4044211187460	10 ST




Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16213.2</u>	FIRCP 6-12-24V AC/DC	4044211187484	10 ST




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16214.2</u>	FIRCP 60V AC/DC	4044211187491	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16215.2</u>	FIRCP 110...125V AC/DC	4044211187514	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16216.2</u>	FIRCP 230...240V AC	4044211187507	10 ST

Data sheet

3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16217.2</u>	FIRCP 110...125V DC	4044211187521	10 ST




Interface-Relay-Compact (IRC) socket base IRCI with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16202.2</u>	IRCI 110...125V AC/DC	4044211187392	10 ST



Interface-Relay-Compact (IRC) socket base IRCO with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16206.2</u>	IRCO 230...240V AC	4044211187439	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16218.2</u>	FIRCP 220V DC	4044211187538	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16219.2</u>	FIRCP LW 110...125V AC/DC	4044211187545	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16220.2</u>	FIRCP LW 230...240V AC	4044211187552	10 ST

3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base FIRC I with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 to 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16221.2</u>	FIRCI 6-12-24V AC/DC	4044211187569	10 ST



Interface-Relay-Compact (IRC) socket base FIRC I with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16222.2</u>	FIRCI 110...125V AC/DC	4044211187576	10 ST



Interface-Relay-Compact (IRC) socket base FIRC I with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16223.2</u>	FIRCI 230...240V AC	4044211187583	10 ST



Interface-Relay-Compact (IRC) socket base FIRC O with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16224.2</u>	FIRCO 6-12-24V AC/DC	4044211187590	10 ST



Interface-Relay-Compact (IRC) socket base FIRC O with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16225.2</u>	FIRCO 110...125V AC/DC	4044211187606	10 ST



Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16192.2</u>	IRC 230...240V AC	4044211187286	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16193.2</u>	IRCP 6-12-24V AC/DC	4044211187293	10 ST




Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16194.2</u>	IRCP 60V AC/DC	4044211187309	10 ST




Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16195.2</u>	IRCP 110...125V AC/DC	4044211187316	10 ST



Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16196.2</u>	IRCP 230...240V AC	4044211187323	10 ST



Interface-Relay-Compact (IRC) socket base IRCI with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16203.2</u>	IRCI 230...240V AC	4044211187408	10 ST



Interface-Relay-Compact (IRC) socket base IRCO with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16204.2</u>	IRCO 6-12-24V AC/DC	4044211187415	10 ST

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) socket base IRCO with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16205.2</u>	IRCO 110...125V AC/DC	4044211187422	10 ST




Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16212.2</u>	FIRC 230...240V AC	4044211187477	10 ST




Interface-Relay-Compact (IRC) socket base FIRC O with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16226.2</u>	FIRCO 230...240V AC	4044211187613	10 ST




Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16197.2</u>	IRCP 110...125V DC	4044211187347	10 ST



Interface-Relay-Compact (IRC) socket base IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16198.2</u>	IRCP 220V DC	4044211187354	10 ST




Interface-Relay-Compact (IRC) socket base IPRC with screw connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16199.2</u>	IRCP LW 110...125V AC/DC	4044211187361	10 ST

Data sheet


3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) socket base IPRC with screw connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16200.2</u>	IRCP LW 230...240V AC	4044211187378	10 ST




Interface-Relay-Compact (IRC) socket base IRCI with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 to 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16201.2</u>	IRCI 6-12-24V AC/DC	4044211187385	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16230.2</u>	IRCU 1/6V AC/DC	4044211200145	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16231.2</u>	IRCU 1/12V AC/DC	4044211200152	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16232.2</u>	IRCU 1/24V AC/DC	4044211200169	10 ST

Data sheet


3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16233.2</u>	IRCU 1/125V AC/DC	4044211200176	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16234.2</u>	IRCU 1/240V AC	4044211200183	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16235.2</u>	IRCPU 1/6V AC/DC	4044211200190	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16236.2</u>	IRCPU 1/12V AC/DC	4044211200206	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16237.2</u>	IRCPU 1/24V AC/DC	4044211200213	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16238.2</u>	IRCPU 1/60V AC/DC	4044211200220	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16239.2</u>	IRCPU 1/125V AC/DC	4044211200237	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16240.2</u>	IRCPU 1/240V AC	4044211200244	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16241.2</u>	IRCPU 1/125V DC	4044211200251	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16242.2</u>	IRCPU 1/220V DC	4044211200268	10 ST

Data sheet


3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16243.2</u>	IRCPU LW 1/125V AC/DC	4044211200275	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16244.2</u>	IRCPU LW 1/240V AC	4044211200282	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16245.2</u>	IRCIU 1/6V AC/DC	4044211200299	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16251.2</u>	IRCOU 1/12V AC/DC	4044211200343	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCO... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16252.2</u>	IRCOU 1/24V AC/DC	4044211200077	10 ST

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCOU... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16253.2</u>	IRCOU 1/125V AC/DC	4044211200350	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCOU... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16254.2</u>	IRCOU 1/240V AC	4044211200367	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16260.2</u>	FIRCU 1/6V AC/DC	4044211200398	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16261.2</u>	FIRCU 1/12V AC/DC	4044211200404	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16262.2</u>	FIRCU 1/24V AC/DC	4044211200411	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16263.2</u>	FIRCU 1/125V AC/DC	4044211200428	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16264.2</u>	FIRCU 1/240V AC	4044211200435	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16265.2</u>	FIRCPU 1/6V AC/DC	4044211200442	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16266.2</u>	FIRCPU 1/12V AC/DC	4044211200459	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16267.2</u>	FIRCPU 1/24V AC/DC	4044211200466	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16268.2</u>	FIRCPU 1/60V AC/DC	4044211200473	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16269.2</u>	FIRCPU 1/125V AC/DC	4044211200480	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16270.2</u>	FIRCPU 1/240V AC	4044211200497	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16272.2</u>	FIRCPU 1/220V DC	4044211200510	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16273.2</u>	FIRCPU LW 1/125V AC/DC	4044211200527	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16274.2</u>	FIRCPU LW 1/240V AC	4044211200534	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16275.2</u>	FIRCIU 1/6V AC/DC	4044211200541	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16246.2</u>	IRCIU 1/12V AC/DC	4044211200305	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16247.2</u>	IRCIU 1/24V AC/DC	4044211200312	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16248.2</u>	IRCIU 1/125V AC/DC	4044211200329	10 ST

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCI... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16249.2</u>	IRCIU 1/240V AC	4044211200336	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16276.2</u>	FIRCIU 1/12V AC/DC	4044211200558	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16277.2</u>	FIRCIU 1/24V AC/DC	4044211200565	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16281.2</u>	FIRCOU 1/12V AC/DC	4044211200602	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCIO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16282.2</u>	FIRCOU 1/24V AC/DC	4044211200619	10 ST

##INVERSE##CONTA-ELECTRONICS



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16283.2</u>	FIRCOU 1/125V AC/DC	4044211200626	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCO... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16284.2</u>	FIRCOU 1/240V AC	4044211200633	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCOU... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16250.2</u>	IRCOU 1/6V AC/DC	4044211200015	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCPU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16271.2</u>	FIRCPU 1/125V DC	4044211200503	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCI... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16278.2</u>	FIRCIU 1/125V AC/DC	4044211200572	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCIU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16279.2</u>	FIRCIU 1/240V AC	4044211200589	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCOU... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16280.2</u>	FIRCOU 1/6V AC/DC	4044211200596	10 ST



Multifunction timing relay module, Interface Relay Compact (IRC) Complete, consisting of base MFR-FIRCP ... with Push-in connection and Plug-in miniature relay PRC ... with power contact, Mounting type: TS 35, 1 CO contact, Input voltage : 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16285.2</u>	MFR FIRCPU 1/12V AC/DC	4044211200640	10 ST



Multifunction timing relay module, Interface Relay Compact (IRC) Complete, consisting of base MFR-FIRCP ... with Push-in connection and Plug-in miniature relay PRC ... with power contact, Mounting type: TS 35, 1 CO contact, Input voltage : 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16286.2</u>	MFR FIRCPU 1/24V AC/DC	4044211200657	10 ST




Multifunction timing relay module, Interface Relay Compact (IRC) complete, Consisting of base MFR-IRCP with Screw connection and Plug-in miniature relay PRC with power contact, Mounting type: TS 35, 1 Changeover contact, Input voltage: 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16255.2</u>	MFR IRCPU 1/12V AC/DC	4044211200374	10 ST

Data sheet


3885.7 MC GS 6x12 R So WH

##INVERSE##CONTA-ELECTRONICS




Multifunction timing relay module, Interface Relay Compact (IRC) complete, Consisting of base MFR-IRCP with Screw connection and Plug-in miniature relay PRC with power contact, Mounting type: TS 35, 1 Changeover contact, Input voltage: 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16256.2</u>	MFR IRCPU 1/24V AC/DC	4044211200381	10 ST



Multi-function timing relay, Interface-Relay-Compact (IRC) socket base MFR-IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 to 24VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16207.2</u>	MFR IRCP 12-24V AC/DC	4044211187446	10 ST



Multi-function timing relay, Interface-Relay-Compact (IRC) socket base MFR-FIRCP with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 to 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16227.2</u>	MFR FIRCP 12-24V AC/DC	4044211187620	10 ST