Data sheet 3894.0 TS-PSS 2





The TS-PSS 2 DIN rail cutter and punching tool is designed for manually shortening and punching holes in DIN rails (TS 15, TS 35, TS 32) and busbars ($10 \times 3 \text{ mm}$). The tool can be mounted on a workbench or similar working surface. It can also punch holes of varying dimensions in customized positions. A cross-hole/slotted-hole punch ($12 \times 6.4 \text{ mm}$) is included in the delivery.

Business data

Article number	3894.0
Article name	TS-PSS 2
GTIN (EAN)	4044211144104
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	14.22 g
Weight per piece (including packaging)	14.22 g
Unit of weight	KG
Customs number	84624900
Country of origin	DE
Product description	Section Rails Cutting and Punching System

Data sheet





Technical data	
Dimensions	
Lever length	1000 mm
Length limit	1000 mm (metrisch+inch)
Application	
Rail dimensions	TS 35/7,5; TS 35/15; TS 32/15; TS 15/5,5; SS 10 x 3
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 3894.0 TS-PSS 2



Media

Data sheet 3894.0 TS-PSS 2



Accessories