

Adhesive cable label, Length: 25 mm, Width: 76 mm, Colour: White

**RAL:** 9010

### Business data

|  |                      |
|--|----------------------|
| Article number                             | <u>3951.7</u>        |
| Article name                               | KKE 76/25 WH         |
| GTIN (EAN)                                 | 4044211085551        |
| Packaging unit                             | 1                    |
| Quantity unit                              | PC                   |
| Labels per roll                            | 1800 ST              |
| Weight per piece (not including packaging) | 444.6 g              |
| Weight per piece (including packaging)     | 539.4 g              |
| Unit of weight                             | G                    |
| Customs number                             | 39191080             |
| Country of origin                          | SE                   |
| Prio-Article                               | 3951.7               |
| Product description                        | Adhesive cable label |

---

### Technical data

---

#### Dimensions

|                       |       |
|-----------------------|-------|
| Length                | 25 mm |
| Width                 | 76 mm |
| Diameter of roll core | 75 mm |

#### Materials

|  |  |
|--|--|
| Material   | Polyester film with general-purpose acrylic adhesive |
| Working temperature, min.                                  | -40 °C   |
| Working temperature, max.                                  | 150 °C   |
| Adhesive bonding temperature, min.                         | 10 °C  |
| Storage stability at 21 °C and 50% relative humidity, min. | 2 Jahre  |

#### Print

|                  |                  |
|------------------|------------------|
| Printing process | Thermal transfer |
|------------------|------------------|

#### Environmental Product Compliance

|                                |                        |
|--------------------------------|------------------------|
| REACH Conform                  | yes                    |
| REACH Reference date           | 2023-06-14, 2024-01-23 |
| REACH Candidate Substance Note | No                     |
| RoHS Conform                   | yes                    |

### Approvals

---

### Standards and regulations

---

UL label certificate

PGGU2

---

---

### Media

---

### Accessories

#### Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u>  | BS-1         | 4044211048365 | 10 ST          |


#### Printer for KKE roll



Thermal transfer printer TTP eco, including power cord, USB cable, CONTA-Sign software in 9 languages (German, English, French, Spanish, Hungarian, Italian, Dutch, Russian, Turkish), for Windows versions 7, 8, 10. (Available for download at the website)

| Article number | Article name                            | GTIN (EAN)    | Packaging unit |
|----------------|---|---------------|----------------|
| <u>17740.0</u> | TTPeco-Print. inkl. Netz-,USB-Kb., Trb. | 4044211151317 | 1 ST           |


#### Inlays



Adhesive cable label, Length: 25 mm, Width: 76 mm, Colour: White

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3951.7</u>  | KKE 76/25 WH | 4044211085551 | 1              |

#### ##INVERSE##CONTA-LABEL



Adhesive cable label, Length: 25 mm, Width: 76 mm, Colour: White

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3951.7</u>  | KKE 76/25 WH | 4044211085551 | 1              |