


Data sheet

4083.3 CT 120/5



ABS housing, Colour: Light grey, RAL: 7035, Cover: ABS, Light grey

RAL: 9018

Business data

Article number	4083.3
Article name	CT 120/5
GTIN (EAN)	4044211061968
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	168 g
Weight per piece (including packaging)	185 g
Unit of weight	G
Customs number	39269097
Country of origin	RO
Product description	ABS housing
Colour	Light grey

Technical data

Dimensions

Length	120 mm
Width	80 mm
Height	55 mm

Materials

Material	ABS
Lid material	ABS
Lid colour	Light grey
Lid screws	Stainless steel
Flammability class UL 94	HB
Working temperature, min.	-40 °C
Working temperature, max.	60 °C
Sealing material	Chloroprene
Cadmium-free	✓
Halogen-free	✓

Further technical data

Degree of protection	IP66
Protection class	II
Impact resistance	IK08
Self-tapping mounting screws for indoor installations	✓
Dielectric strength	24 kV/mm
Surface resistance	4x10 ¹⁴ Ohm

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

4083.3 CT 120/5



Media

Accessories

Outer joints

Outer joints, Colour: Light grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>4510.3</u>	AG/CT/CM (Paar)	4044211064044	1 ST

Mounting plate

Mounting plate, Material: Hard laminated paper, Colour: Brown

Article number	Article name	GTIN (EAN)	Packaging unit
<u>4505.0</u>	MP/M-T/120	4044211063801	1 ST

DIN rail section TS 15/5.5



DIN rail, slotted, Width: 15 mm, Height: 5.5 mm, Material: Steel, Colour: natural

Article number	Article name	GTIN (EAN)	Packaging unit
<u>4510.8</u>	TS 15/110 mm lang	4044211064099	1 ST

Wall brackets

Wall brackets, Material: Polycarbonate, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>4510.2</u>	WL/CM/CT	4044211064037	1 ST

##INVERSE##CONTA-BOX

Data sheet

4083.3 CT 120/5

Mounting plate, Material: Hard laminated paper, Colour: Brown

Article number	Article name	GTIN (EAN)	Packaging unit
<u>4505.0</u>	MP/M-T/120	4044211063801	1 ST
