

Data sheet

4145.2 S/M 40x1,5 GR



Hex. nut, Thread type: metric, Thread size: 40 mm, Material: Polyamide, Colour: Light grey

RAL: 7035

Business data

Article number	4145.2
Article name	S/M 40x1,5 GR
GTIN (EAN)	4044211114268
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	7.8 g
Weight per piece (including packaging)	8.05 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Prio-Article	4145.2
Product description	Hex nut

Data sheet

4145.2 S/M 40x1,5 GR



Technical data

Dimensions

Width (enclosure size)	55 mm
Depth (enclosure size)	55 mm

Thread

Thread type	Metric
Thread size	40 mm
Thread pitch	1.5 mm

Materials

Material	Polyamide
Glass-fibre reinforced	✓
Flammability class UL 94	HB
Working temperature, min.	-40 °C
Working temperature, max.	100 °C
Halogen-free	✓


Further technical data

Impact resistant	✓
Hexagonal corner size	50 mm

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14, 2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



Accessories

##INVERSE##CONTA-CABLE



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28774.4</u>	KDS-R 40-63 BK	4044211234546	5 ST



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28775.4</u>	KDS-RGA M40 BK	4044211234553	5 ST



Round cable entry M40 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 51 mm, Width: 51 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28915.6</u>	KES-R M40/8 GR	4044211247225	10 ST