



Hex. nut, Thread type: metric, Thread size: 50 mm, Material: Polyamide, Colour: Light grey

RAL: 7035

Business data

Article number	<u>4146.2</u>
Article name	S/M 50x1,5 GR
GTIN (EAN)	4044211114275
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	10 g
Weight per piece (including packaging)	10.19 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Prio-Article	4146.2
Product description	Hex nut

Technical data

Dimensions

Width (enclosure size)	67 mm
------------------------	-------

Depth (enclosure size)	67 mm
------------------------	-------

Thread

Thread type	Metric
-------------	--------

Thread size	50 mm
-------------	-------

Thread pitch	1.5 mm
--------------	--------

Materials

Material	Polyamide
----------	-----------

Glass-fibre reinforced	✓
------------------------	---

Flammability class UL 94	HB
--------------------------	----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	100 °C
---------------------------	--------

Halogen-free	✓
--------------	---

Further technical data

Impact resistant	✓
------------------	---

Hexagonal corner size	60 mm
-----------------------	-------

Environmental Product Compliance


REACH Conform	yes
---------------	-----

REACH Reference date	2023-06-14, 2024-01-23
----------------------	------------------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media




Accessories

##INVERSE##CONTA-CABLE



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28776.4</u>	KDS-RGA M50 BK	4044211234560	5 ST



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28774.4</u>	KDS-R 40-63 BK	4044211234546	5 ST



Round cable entry M50 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 61 mm, Width: 61 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28917.6</u>	KES-R M50/10 GR	4044211247249	10 ST



Round cable entry M50 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 61 mm, Width: 61 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28918.6</u>	KES-R M50/12 GR	4044211247256	10 ST



Round cable entry M50 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 61 mm, Width: 61 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28920.6</u>	KES-R M50/68 GR	4044211247270	10 ST



Round cable entry M50 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 61 mm, Width: 61 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28916.6</u>	KES-R M50/8 GR	4044211247232	10 ST

4146.2 S/M 50x1,5 GR

##INVERSE##CONTA-CABLE



Round cable entry M50 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 61 mm, Width: 61 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28919.6</u>	KES-R M50/19 GR	4044211247263	10 ST
