



Hex. nut, Thread type: metric, Thread size: 63 mm, Material: Polyamide, Colour: Light grey

RAL: 7035

Business data

Article number	<u>4147.2</u>
Article name	S/M 63x1,5 GR
GTIN (EAN)	4044211114282
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	14.9 g
Weight per piece (including packaging)	15.09 g
Unit of weight	G
Customs number	39269097
Country of origin	EU
Prio-Article	4147.2
Product description	Hex nut

Technical data

Dimensions

Width (enclosure size)	83 mm
------------------------	-------

Depth (enclosure size)	83 mm
------------------------	-------

Thread

Thread type	Metric
-------------	--------

Thread size	63 mm
-------------	-------

Thread pitch	1.5 mm
--------------	--------

Materials

Material	Polyamide
----------	-----------

Glass-fibre reinforced	✓
------------------------	---

Flammability class UL 94	HB
--------------------------	----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	100 °C
---------------------------	--------

Halogen-free	✓
--------------	---

Further technical data

Impact resistant	✓
------------------	---

Hexagonal corner size	75 mm
-----------------------	-------

Environmental Product Compliance


REACH Conform	yes
---------------	-----

REACH Reference date	2023-06-14, 2024-01-23
----------------------	------------------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media



Data sheet

4147.2 S/M 63x1,5 GR



Accessories

##INVERSE##CONTA-CABLE



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28774.4</u>	KDS-R 40-63 BK	4044211234546	5 ST



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28777.4</u>	KDS-RGA M63 BK	4044211234577	5 ST



Round cable entry M63 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 73 mm, Width: 73 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28921.6</u>	KES-R M63/9 GR	4044211247287	10 ST



Round cable entry M63 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 73 mm, Width: 73 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28924.6</u>	KES-R M63/35 GR	4044211247317	10 ST



Round cable entry M63 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 73 mm, Width: 73 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28922.6</u>	KES-R M63/13 GR	4044211247294	10 ST



Round cable entry M63 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 73 mm, Width: 73 mm, IP66, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28923.6</u>	KES-R M63/14 GR	4044211247300	10 ST