



Extruded profile for locking base system, length: 2000 mm, lower part, width: 46.5 mm, width of PCB: 42.5 mm, colour: orange, Note: required profile length = PCB length - 4 mm

Business data

| | |
|--|--------------------|
| Article number | <u>5675.3</u> |
| Article name | RS-SP 0 2000 mm OG |
| GTIN (EAN) | 4044211068615 |
| Packaging unit | 1 |
| Quantity unit | M |
| Weight per piece (not including packaging) | 213 g |
| Weight per piece (including packaging) | 213 g |
| Unit of weight | G |
| Customs number | 39162000 |
| Country of origin | DE |
| Product description | Extruded profile |
| Colour | Orange |

Technical data

Dimensions

| | |
|--------|---------|
| Length | 2000 mm |
| Width | 46.5 mm |
| Height | 19 mm |

Materials

| | |
|---------------------------|--------|
| Material | PVC |
| Flammability class UL 94 | V-0 |
| Working temperature, min. | -50 °C |
| Working temperature, max. | 60 °C |

Further technical data

| | |
|--------------------------------------|---------|
| Required profile length = PCB length | -4 mm |
| Min. PCB thickness | 1.3 mm |
| Max. PCB thickness | 1.7 mm |
| Min. PCB width of upper level | 42.5 mm |
| Max. PCB width of upper level | 42.5 mm |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2024-01-23 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

Mounting screw



Mounting screw for locking base systems RS-SP, for attaching the mounting feet, end plates and covers

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>4560.0</u> | BS RS | 4044211080686 | 100 ST |

End plate



End plate with snap-in mounting foot for locking base system RS-SP 0, colour: orange. Enables profile to be mounted on Mounting rail TS 35 DIN rail, colour: orange

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3133.3</u> | AP 0/TS OG | 4044211058388 | 20 ST |



Mounting plate for direct mount to locking base system RS-SP 0. Enables profile to be mounted on mounting plates using M5 screw, colour: orange

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3134.3</u> | AP 0/D OG | 4044211058395 | 20 ST |