


Data sheet

6149.2 IF-OF/0,5A



Business data

Article number	6149.2
Article name	IF-OF/0,5A
GTIN (EAN)	4044211072339
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	88.4 g
Weight per piece (including packaging)	131.5 g
Unit of weight	G
Customs number	85363010
Country of origin	NL
Product description	Interference-elimination link module

Data sheet

6149.2 IF-OF/0,5A

Technical data

Dimensions

Length	40 mm
Width	87 mm
Height	60 mm

Ratings

Operating voltage AC, max.	250 V
Current, max.	0.5 A
Overvoltage category	III
Contamination degree	2
Operating voltage DC	250 V

Connection data

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm ²
Wire cross-section single-core (rigid), max.	4 mm ²
Wire cross-section stranded, min.	0.2 mm ²
Wire cross-section stranded, max.	2.5 mm ²
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm ²
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm ²
Stripping length	7 mm

Input data

Frequency	400 Hz
-----------	--------

Materials

Working temperature, min.	-20 °C
Working temperature, max.	50 °C

Further technical data

Throttle	24 mH
Test voltage N-PE	2 kV / 50 Hz >2 s
Test voltage L-PE	2 kV / 50 Hz >2 s
Leakage current	2 x 0,2 mA

Data sheet

6149.2 IF-OF/0,5A



Technical data

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Approvals


Standards and regulations

Standards / specifications	DIN EN 50178 / DIN VDE 0110
----------------------------	-----------------------------

Data sheet

6149.2 IF-OF/0,5A

Media



Accessories
