


Data sheet

6764.2 DAC8/4/24



Digital/analogue converter module, 8-bit, Screw connection, Mounting type: Mounting rail TS 35, Supply voltage: 24 VDC

Business data

Article number	6764.2
Article name	DAC8/4/24
GTIN (EAN)	4044211075859
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	116.6 g
Weight per piece (including packaging)	174.3 g
Unit of weight	G
Customs number	85423990
Country of origin	NL
Product description	Converter module

Technical data

Dimensions

Length	87 mm
Width	80 mm
Height	57 mm

Ratings

Overvoltage category	III
Contamination degree	2

Connection data

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm ²
Wire cross-section single-core (rigid), max.	4 mm ²
Wire cross-section stranded, min.	0.2 mm ²
Wire cross-section stranded, max.	2.5 mm ²
Wire cross-section stranded with wire-end ferrules,min.	0.2 mm ²
Wire cross-section stranded with wire-end ferrules,max.	2.5 mm ²
Stripping length	7 mm
Torque	0.6 Nm

Output data

Load resistance U	>2K Ohm
Output signal U, max.	10 V

Materials

Working temperature, min.	-20 °C
Working temperature, max.	55 °C
Temperature coefficient	<0,02% °C


Further technical data

Power supply	24 VDC ± 10% -
Current consumption	40 mA
Protection class	IP20

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



Accessories
