


Data sheet

9107.7 PMC BSTR 6/30 So WH



Terminal marker / Pocket Maxicard, Length: 12 mm, Width: 6 mm, Colour: White

RAL: 9010

Business data

Article number	9107.7
Article name	PMC BSTR 6/30 So WH
GTIN (EAN)	4044211099749
Packaging unit	300
Quantity unit	PC
Number of markers per card	30 ST
Number of markers per row	10 ST
Weight per piece (not including packaging)	0.1 g
Weight per piece (including packaging)	0.14 g
Unit of weight	G
Customs number	49119900
Country of origin	DE
Product description	Terminal marker / Pocket Maxicard
Colour	White

9107.7 PMC BSTR 6/30 So WH

Technical data

Dimensions

Length	12 mm
Width	6 mm
Terminal width	≥ 5,10 mm

Materials

Marker material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Halogen-free	✓

Print

Printing process	Thermal transfer
Number of characters, horizontal	3
Rows when using font size 1.6 and plotter pen 0.25, horizontally aligned text	3
Number of characters, vertical	8
Rows when using font size 1.6 and plotter pen 0.25, vertically aligned text	3

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories


Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2034.0</u>	BS-1	4044211048365	10 ST

Plotter



Plotter marking system

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1610.0</u>	EMS-3 Easy-Marking-System DIN A3	4044211103187	1 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15493.2</u>	ZPRC 220...240V AC/DC	4044211118334	10 ST



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15494.2</u>	ZPRC 6-12-24V DC	4044211118341	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15555.2</u>	PRC LW 110...125V AC/DC	4044211118280	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15556.2</u>	ZPRC LW 110...125V AC/DC	4044211118358	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16145.2</u>	PRC 230...240V AC	4044211189532	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6.12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15488.2</u>	PRC 6-12-24V AC/DC	4044211118228	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15489.2</u>	PRC 220...240V AC/DC	4044211118259	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15490.2</u>	PRC 6-12-24V DC	4044211118266	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 to 240 VAC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15491.2</u>	PRC LW 220...240V AC	4044211118273	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15492.2</u>	ZPRC 6-12-24V AC/DC	4044211118297	10 ST



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 to 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15495.2</u>	ZPRC LW 220...240V AC	4044211118365	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 48 or 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15496.2</u>	PRC 48-60V AC/DC	4044211118235	10 ST



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15497.2</u>	PRC 110...125V AC/DC	4044211118242	10 ST



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 648 or 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15498.2</u>	ZPRC 48-60V AC/DC	4044211118303	10 ST



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15499.2</u>	ZPRC 110...125V AC/DC	4044211118327	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15510.2</u>	PRCU 1/60V AC/DC	4044211118495	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 48 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15520.2</u>	ZPRCU 1/48V AC/DC	4044211118594	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with tension-spring connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15552.2</u>	ZPRCU LW 1/240V AC	4044211118679	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15511.2</u>	PRCU 1/125V AC/DC	4044211118501	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15512.2</u>	PRCU 1/240V AC/DC	4044211118518	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15514.2</u>	PRCU 1/12V DC	4044211118532	10 ST




Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with tension-spring connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15518.2</u>	ZPRCU 1/12V AC/DC	4044211118570	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15519.2</u>	ZPRCU 1/24V AC/DC	4044211118587	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15521.2</u>	ZPRCU 1/60V AC/DC	4044211118600	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15525.2</u>	ZPRCU 1/12V DC	4044211118648	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15526.2</u>	ZPRCU 1/24V DC	4044211118655	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with tension-spring connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15551.2</u>	ZPRCU LW 1/125V AC/DC	4044211118662	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15508.2</u>	PRCU 1/24V AC/DC	4044211118471	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 48 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15509.2</u>	PRCU 1/48V AC/DC	4044211118488	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15513.2</u>	PRCU 1/6V DC	4044211118525	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15523.2</u>	ZPRCU 1/240V AC/DC	4044211118624	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15524.2</u>	ZPRCU 1/6V DC	4044211118631	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15553.2</u>	PRCU LW 1/125V AC/DC	4044211118556	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with multi-layer gold contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16128.2</u>	PRCU 1/24V DC Au	4044211178635	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with tension-spring connection and pluggable miniature relay PRC... with multi-layer gold contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16129.2</u>	ZPRCU 1/24V DC Au	4044211178659	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15515.2</u>	PRCU 1/24V DC	4044211118549	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15522.2</u>	ZPRCU 1/125V AC/DC	4044211118617	10 ST



Plug-Relay-Compact (PRC) Complete, Consisting of base PRC... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15554.2</u>	PRCU LW 1/240V AC	4044211118563	10 ST

##INVERSE##CONTA-ELECTRONICS



Plug-Relay-Compact (PRC) socket base PRC with tension-spring connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15492.2</u>	ZPRC 6-12-24V AC/DC	4044211118297	10 ST

##INVERSE##CONTA-ELECTRONICS

9107.7 PMC BSTR 6/30 So WH



Plug-Relay-Compact (PRC) socket base PRC with screw connection, Mounting type:
Mounting rail TS 35, 1 CO contact, Input voltage: 48 or 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15496.2</u>	PRC 48-60V AC/DC	4044211118235	10 ST