

## 9443.7 PMC BSTR 10x12/10 FW 81-120 WH

Terminal marker / Pocket Maxicard, Length: 12 mm, Width: 10 mm, Colour: White, Print: Sequential 81-120, Direction of print: horizontal

RAL: 9010

### Business data

|                                            |                                   |
|--------------------------------------------|-----------------------------------|
| Article number                             | 9443.7                            |
| Article name                               | PMC BSTR 10x12/10 FW 81-120 WH    |
| GTIN (EAN)                                 | 4044211155322                     |
| Packaging unit                             | 100                               |
| Quantity unit                              | PC                                |
| Number of markers per card                 | 10 ST                             |
| Number of markers per row                  | 5 ST                              |
| Weight per piece (not including packaging) | 0.02 g                            |
| Weight per piece (including packaging)     | 0.06 g                            |
| Unit of weight                             | G                                 |
| Customs number                             | 49119900                          |
| Country of origin                          | DE                                |
| Product description                        | Terminal marker / Pocket Maxicard |
| Colour                                     | White                             |

## 9443.7 PMC BSTR 10x12/10 FW 81-120 WH

### Technical data

#### Dimensions

|                |            |
|----------------|------------|
| Length         | 12 mm      |
| Width          | 10 mm      |
| Terminal width | ≥ 10,00 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Marker material           | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |
| Halogen-free              | ✓             |

#### Print

|                                                                               |                  |
|-------------------------------------------------------------------------------|------------------|
| Printing process                                                              | Thermal transfer |
| Number of characters, horizontal                                              | 8                |
| Rows when using font size 1.4 and plotter pen 0.25, horizontally aligned text | 5                |
| Number of characters, vertical                                                | 9                |
| Rows when using font size 1.4 and plotter pen 0.25, vertically aligned text   | 5                |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2023-06-14 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

Media

---

Accessories


Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u>  | BS-1         | 4044211048365 | 10 ST          |

Plotter



Plotter marking system

| Article number | Article name                     | GTIN (EAN)    | Packaging unit |
|----------------|----------------------------------|---------------|----------------|
| <u>1610.0</u>  | EMS-3 Easy-Marking-System DIN A3 | 4044211103187 | 1 ST           |